




















CHIMNEY CLEANING TOOL SETS

Date: 2024.11.27


NO.	ITEM			DESCRIPTION
TORNADO PRO ROTARY CHIMNEY CLEANING KIT (rod diameter 17 mm)				
174	 TORNADO PRO 6-meter set	4779022361876	1 pc	SET of: chimney brush with nylon bristles (dia. 45 cm) - 1 pc; flexible rods (length 1 m) - 6 pcs; drill adapter - 1 pcs; carrying bag - 1 pcs.

TORNADO PRO ADDITIONAL PARTS

170-1		Flexible rod, 1 m	4779022361883	1 pc	Chimney rod, 17 mm in diameter, 1 m in length, flexible.
170-2		Chimney brush with nylon bristles	4779022361999	1 pc	Aluminium brush head with stainless steel chain, diameter 30 cm.
170-3		Chimney brush with cable	4779022361975	1 pc	Aluminium brush head with stainless steel cable, diameter 35 cm.
170-4		Chimney brush with chain	4779022361982	1 pc	Aluminium brush head with stainless steel chain, diameter 30 cm.
170-5		Ventilation tube brush with nylon bristles	4779022362002	1 pc	Aluminium brush head with nylon bristles, diameter 45 cm.
170-11		Oval chain cleaning head	4779022362262	1 pc	
170-12		Ventilation cleaning head	4779022362279	1 pc	
170-13		Free cable cleaning head	4779022362286	1 pc	
170-14		Anti-block cleaning head	4779022362293	1 pc	
170-6		Nylon bristles	4779022360732	1 set	Replacement bristles for chimney brush 170-2 / 150-2.
170-7		Drill adapter	4779022362019	1 pc	Used to connect chimney rods to an electric drill.
170-8		Carrying bag	4779022362033	1 pc	Made of durable synthetic material, padded sides.
170-9		Protective tube	4779022362040	1 pc	A 70 cm long tube to protect rods from mechanical damage, when sweeping chimney from the bottom-upwards.

170-10		Sturdy rod, 1 m	4779022360206	1pc	Minimal flexibility and solid rods are ideally suited for blocked chimneys or hard residues cleaning.
--------	---	-----------------	---------------	-----	---





TORNADO
ROTARY CHIMNEY CLEANING KIT
(rod diameter 12 mm)

150		TORNADO 6-meter set	4779022360596	1 pc	SET of: chimney brush with nylon bristles (dia. 45 cm) - 1 pc; flexible rods (length 1 m) - 6 pcs; drill adapter - 1 pcs.
-----	---	------------------------	---------------	------	--

TORNADO ADDITIONAL PARTS










150-1		Flexible rod, 1 m	4779022360671	1 pc	Chimney rod, 12 mm in diameter, 1 m in length, very flexible.
150-2		Chimney brush with nylon bristles	4779022360725	1 pc	Aluminium brush head with nylon bristles, diameter 45 cm
150-3		Chimney brush with cable	4779022361470	1 pc	Aluminium brush head with stainless steel cable, diameter 35 cm
150-4		Chimney brush with chain	4779022361845	1 pc	Aluminium brush head with stainless steel chain, diameter 30 cm
150-5		Pellet brush	4779022360190	1 pc	Brush head with nylon bristles, 20 cm diameter.
150-6		Nylon bristles	4779022360732	1 set	Replacement bristles for chimney brush 150-2 / 170-2.
150-7		Drill adapter	4779022360749	1 pc	Used to connect chimney rods to an electric drill.
150-8		Carrying bag	4779022362026	1 pc	Made of durable synthetic material.
150-9		Protective tube	4779022362040	1 pc	A 70 cm long tube to protect rods from mechanical damage, when sweeping chimney from the bottom-upwards.
150-10		Sturdy rod, 1 m	4779022360213	1 pc	Minimal flexibility and solid rods are ideally suited for blocked chimneys or hard residues cleaning

COBRA
ROTTARY CLEANING 10MMØ SET

C173		3 meters / 10mm ø	4779022362118	1 pc	For cleaning chimneys of all types and shapes. Fast and easy way to make maximal effort. Set includes: Universal nylon cleaning head 450mm in diameter and the amount of length bought.
C176		6 meters / 10mm ø	4779022362125	1 pc	
C178		8 meters / 10mm ø	4779022362149	1 pc	
C1710		10 meters / 10mm ø	4779022362149	1 pc	
C1715		15 meters / 10mm ø	4779022362156	1 pc	


PELLET CLEANING SETS

REGULAR PELLET CLEANING SET







180		3 meters	4779022362248	5 pcs	For cleaning and maintenance of pellet stove flues and pellet appliances. Set includes handle and 100mm cleaning brush.
PRO PELLETT CLEANING KIT					
181		3 meters	4779022362231	1 pcs	Set includes handle, two brushes 80mm and 100mm and universal stove brush for maximum cleaning effort.
181-1		6 meters	4779022362224	1 pcs	
FLEXI PRO PELLETT CLEANING KIT					
182		3 meters	4779022362200	1 pcs	Set includes handle, two brushes 80mm and 100mm and universal stove brush for maximum cleaning effort, also flexible connection for big angles.
182-1		6 meters	4779022362217	1 pcs	
ACCESSORIES					
184		Universal stove brush	4779022362163	1 pcs	For scraping and cleaning of burning chamber
185		Flexible connection	4779022362170	1 pc	For flexible connection to brush
186		Brush 80mm	4779022362194	1 pc	For cleaning and maintenance of pellet stove flues, chimneys and pellet appliances.
186-1		Brush 100mm	4779022362187	1 pc	

CHIMNEY CLEANING ACCESSORIES


UNIVERSAL CHIMNEY CLEANING BRUSH

130		Ø 400 mm	4779022360558	5 pc	For cleaning chimneys of all types and shapes.
-----	---	----------	---------------	------	--

CHIMNEY CLEANING RODS WITH M12 THREAD

140		1 m	4779022360831	20 pc	For cleaning chimneys of all types and shapes. Cold resistant up to -35°C.
141		1.4 m	4779022360848	20 pc	
142		6 × 1 m packed in transparent plastic bag	4779022361012	5 pc	
143		6 × 1.4 m packed in transparent plastic bag	4779022361029	5 pc	
144		6 × 1 m + carrying bag	4779022360541	5 pc	
145		6 × 1.4 m + carrying bag	4779022361081	5 pc	


CHIMNEY CLEANING KIT „CLASSIC“

131		10 m	4779022360381	1 pc	Chimney sweep rope: looks natural, but made of synthetic polypropylene that looks like hemp fiber.
-----	---	------	---------------	------	--


NOTE: Rope length can be customized upon request.

Rotary Clening systems

Tornado HOME




Recomended for:




Plačiau 5 psl

Tornado PRO




Recomended for:




Plačiau 10 psl

Tornado COBRA




Recomended for:




Plačiau 15 psl

Hand Clening systems

PRO Stove cleaning kit




Recomended for:




Plačiau 20 psl

Strypai su sriegiu



Recomended for:



Plačiau 25 psl

PowerSweep

240%^{more} ENERGY

Up to 2000 revolutions per minute

PowerSweep chimney sweep up to 240% more energy than manual cleaning.



Extremely strong and flexible nylon



Tornado | Introduction | Click lock system



up to **10** times **FASTER**



Tornado PRO | 6 meter Kit




ø17 mm

Flexible rods | Item no: 170-1 | 1 m x 6 pcs



Carrying bag | Item no: 170-8 | 1 pcs



Universal sweeping brush ø45 cm with nylon bristles | Item no: 170-2 | 1 pc



Drill adapter
Item no: 170-7 | 1 pc



Protective tube
Item no: 170-9 | 1 pc

6-meter KIT
Item no: 174

Flexibility
● ● ● ● ●

Optimal Height
35 m

Diameter
ø200 - 350 mm

Recommended for:
Large fireplace


Tornado PRO | Additional parts | RODS



Flexible Rod ø15 mm

Item no: 170-?


Rods are made from durable and flexible plastic. Can be used where bends are maximum 90°.




Length: 1 m

ø15 mm

Color: BLACK



Optimal Height



Recommended for:



Large fireplace



Flexible Rod ø17 mm

Item no: 170-1



Rods are made from durable and flexible plastic. Can be used where bends are maximum 45°.




Length: 1 m

ø17 mm

Color: WHITE



Optimal Height



Recommended for:



Large fireplace

Tornado PRO | Additional parts | RODS


ROTARY CLEANING



Sturdy Rod ø17 mm
Item no: 170-10

Minimal flexibility and solid rods are ideally suited for blocked chimneys or hard residues cleaning.


Length: 1 m **ø17 mm**
Color: GRAY




PRO Rod ø17 mm
Item no: 170-?

Minimal flexibility and solid rods are ideally suited for blocked chimneys or hard residues cleaning.

Length: 1 m **ø17 mm**
Color: ALUMINUM





3D view ▶





Universal brush

Item no: 170-2

Brush head with nylon bristles, ø 45 cm diameter. Bristles can be replaced when worn.

Recommended for:



3D view ▶




Ventilation brush

Item no: 170-5

Brush head with nylon bristles, 45 cm diameter. Used for narrow chimneys and ventilation duct cleaning. Bristles can be replaced when worn.

Recommended for:





3D view ▶


Cabel Chimney Brush

Item no: 170-3

Brush head with stainless steel cable, \varnothing 35 cm diameter. Used to remove creosote and tar deposits from chimneys and flues.




Recommended for:




Pellet



Stove



Fireplace




3D view ▶

Chain Chimney Brush


Item no: 140-4

Brush head with stainless steel chain, \varnothing 30 cm diameter. Used to remove creosote and tar deposits from chimneys and flues. Chain can be replaced when worn.


DO NOT use in stainless steel chimneys or liners.




Recommended for:



Pellet



Stove



Fireplace


Tornado PRO | Additional parts



Carrying bag
Item no: 170-8





Drill adapter
Item no: 170-7




Protective tube
Item no: 170-9

Rod protective tube is used to ensure that during chimney sweeping through the heating appliance opening, the rods are protected from mechanical damage that may be caused due to friction against the heating appliances edges.



Nylon bristles for universal brush
Item no: 170-6



Tornado HOME | 6 meter Kit


ø12 mm



Flexible rods | *Item no: 150-1* | **1 m × 6 pcs**



Carrying bag | *Item no: 150-8* | **1 pcs**



Universal sweeping brush ø45 cm with nylon bristles | *Item no: 150-2* | **1 pc**




Drill adapter
Item no: 150-7 | **1 pc**



Protective tube
Item no: 150-9 | **1 pc**


6-meter KIT
Item no: 150




Flexibility



Optimal Height




Diameter




ø100 - 200 mm

Recommended for:



Stove



Small fireplace

Tornado HOME | Additional parts | RODS




Flexible Rod ø12 mm
Item no: 150-1

Rods are made from durable and flexible plastic. Can be used where bends are maximum 45°.



Length: 1 m
ø12 mm
 Color: WHITE





Sturdy Rod ø12 mm
Item no: 150-10

Minimal flexibility and solid rods are ideally suited for blocked chimneys or hard residues cleaning.



Length: 1 m
ø12 mm
 Color: GRAY





3D view ▶




Universal brush

Item no: 150-2

Brush head with nylon bristles, ø 45 cm diameter. Bristles can be replaced when worn.

Recommended for:



3D view ▶




Pellet brush

Item no: 150-5

Brush head with nylon bristles, 20 cm diameter. Used for pellet stoves, narrow chimneys and ventilation duct cleaning. Bristles can be replaced when worn.

Recommended for:





3D view ▶


Cabel Chimney Brush

Item no: 150-3

Brush head with stainless steel cable, ø 35 cm diameter. Used to remove creosote and tar deposits from chimneys and flues.




Recommended for:




Pellet



Stove



Fireplace




3D view ▶

Chain Chimney Brush


Item no: 150-4

Brush head with stainless steel chain, ø 30 cm diameter. Used to remove creosote and tar deposits from chimneys and flues. Chain can be replaced when worn.


DO NOT use in stainless steel chimneys or liners.




Recommended for:



Pellet



Stove




Fireplace

Tornado HOME | Additional parts



Length: ? mm

ø? mm



Protective tube
Item no: 150-9


Rod protective tube is used to ensure that during chimney sweeping through the heating appliance opening, the rods are protected from mechanical damage that may be caused due to friction against the heating appliances edges.




Carrying bag
Item no: 150-8



Drill adapter
Item no: 150-7



Nylon bristles for universal brush
Item no: 150-6






PRO Stove Cleaning Kits




3-meter KIT
Item no: ???

3-meter KIT
Item no: ???


6-meter KIT
Item no: ???




Flexibility




Diameter



Recommended for:






Pellet



Stove




Flexi PRO Stove Cleaning Kits



3-meter KIT
Item no: ???

3-meter KIT
Item no: ???


6-meter KIT
Item no: ???




Flexibility




Diameter




ø?? - ?? mm



Recommended for:



Pellet



Stove